Product data sheet

Rollan 80 NT complete set *

Sliding door fitting for glass leaves

AREAS OF APPLICATION

- For glass leaves with a 30 mm glass clamping plate
- For leaf weights up to 80 kg
- For wall and ceiling installation

GEZE GmbH | Reinhold-Vöster-Straße 21–29 | D-71229 Leonberg | **TEL** +49 7152 203-0 | **WEB** www.geze.de | **Mail** info.de@geze.com
2026-11-14T03:57:57Z

Rollan 80 NT complete set *

PRODUCT FEATURES

→ Sliding door fitting for glass leaves with up to 80 kg leaf weight

TECHNICAL DATA

Productname	Rollan 80 NT complete set *
Leaf material	Glass
Leaf weight (max.)	80 kg
Leaf weight (max.) with draw-in damper	40 kg
Number of leaves	1-leaf, 2-leaf
Leaf width (min.)	500 mm
Leaf width (max.)	1640 mm
Test cycles	50000
Corrosion protection class	1
Pane thickness	8 - 10 mm
Type of installation	Wall, Ceiling
Access for all	according to DIN 18040

VARIANTS / ORDER INFO

Designation	Description	Ident-No.	Dimensions	Leaf width (min.)	Leaf width (max.)
GEZE Rollan 80 NT complete set	Set for wall and ceiling installation with glass leaf, 30 mm glass clamping plate individually covered EV1, up to 80 kg leaf weight -ball bearing-	160423	1900 mm	500 mm	970 mm

PART

GLASS CLAMPING PLATE 30 MM SET, WITH COVERING

Glass clamping plate 30 mm including cover for leaf weights up to 80 kg

Designation	Description	Ident-No.	Colour	Pane thickness	Leaf material
Glass clamping plate 30 mm set, with covering *	Comprising 2 glass clamping plates incl. suspension bolts, individual cover profiles and end covers, up to 80 kg leaf weight, for 8-12 mm toughened safety glass	142366	Stainless steel optic	8 - 12 mm	Glass
Glass clamping plate 30 mm set, with covering *	Comprising 2 glass clamping plates incl. suspension bolts, individual cover profiles and end covers, up to 80 kg leaf weight, for 8-12 mm toughened safety glass	142367	according to RAL	8 - 12 mm	Glass

Rollan 80 NT complete set *

Designation	Description	Ident-No.	Colour	Pane thickness	Leaf material
Glass clamping plate 30 mm set, with covering	Comprising 2 glass clamping plates incl. suspension bolts, individual cover profiles and end covers, up to 80 kg leaf weight, for 8-12 mm toughened safety glass	142365	EV1	8 - 12 mm	Glass

FLOOR GUIDE FOR GLASS LEAF

Floor guide with variable adjustment for glass thicknesses 8, 10 and 12 mm

Designation	Description	Ident-No.	Colour	Pane thickness	Leaf material
Floor guide for glass leaf (adjustable)	with variable adjustment for pane thickness 8-13.5 mm, with frieze band to reduce noise on textured glass surfaces, without attachment material	148019	Stainless steel optic	8 - 13.5 mm	Glass
Floor guide for glass leaf (adjustable) *	with variable adjustment for pane thickness 8-13.5 mm, with frieze band to reduce noise on textured glass surfaces, without attachment material	149657	according to RAL	8 - 13.5 mm	Glass
Floor guide for glass leaf (adjustable)	with variable adjustment for pane thickness 8-13.5 mm, with frieze band to reduce noise on textured glass surfaces, without attachment material	120417	silver-coloured	8 - 13.5 mm	Glass

ACCESSORIES

DOOR STOP

End stop for sliding leaves

Designation	Ident-No.	Fitting No.	EAN
Door stop	000339	1-66	4106030003397
Door stop	000342	2-66	4106030003427

Rollan 80 NT complete set *

* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.